CS Ceramic Co.,Ltd

WWW.CSCERAMIC.COM

Aplication	For furnace of high refractoriness and high hardness ;Industrial Ceramic			
Business Type	Manufacturer			
Sample	Free offer			
Chemical composition	Al2O3	more than 99%		
	R2O	less than 0.2		
	Fe2O3	less than 0.1		
	SiO2	less than0.2		
	<u> </u>	I	1	
Volume	5ml 10ml 15ml 10ml 15ml 20ml 25ml 30ml 50ml 100ml 150ml			
	200ml-2500ml.5ml 20ml 25ml 30ml 50ml 100ml 150ml 200ml-2500ml.			
Usage	Wildly used in all kinds of laboratory analysis and various industrial			
	analysis, metal and nonmetal material sample melting.			
	2. Widely used for high temperature application, like metal processing,			
	glass melting, rapid thermal cycling, gemstone purification for jewelry			
	industry			
	3. Widely applied in the metallurgy, chemical industry and materials			
	science, etc.			
	Dound h	action Curvo Cour	co Culindrical Customization	
Available in various	Round bottom, Curve, Square, Cylindrical, Customization available (custom design according to drawings)			
types:				
Function	1. High density, high purity.			
	2. Good wear-resistant, sealing ability.			
	3. Good tensile strength.			
	4. Good high temperature tolerance.			
	5. Excellent cold crushing and thermal shock resistance.			
	6. Excellent chemical stability and corrosion resistance.			
	7. No staining for long-term use.			
Execution standard:				
	R - Net - (1SO)			
Minimum Order				
Quantity	5000 Pi	ece/Pieces		
Package	100000	S/Corton		
	1000PCS/Carton			
Supply Ability:	1,00,000PCS/DAY			
Payment Terms:	TT 30% Deposit before production ;TT 70% Balance before loading			

CS Ceramic Co.,Ltd

WWW.CSCERAMIC.COM

Delivery Detail	Within 10 days after deposit		
Packaging Details:	silver foiled or pure aluminum paper packing ,five storey corrugated carton or wooden carton		
Origin:	CS Ceramic Co.,Ltd, Liling City ,China		